

## Hazardous Chemical, Dangerous Goods

### 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

**Product name:** CyaNo  
**Synonyms:** Sodium carbonate peroxyhydrate  
**Recommended use:** Water treatment.  
**Supplier:** Parklink Ltd  
**Street Address:** 43 Niven Street, Napier  
New Zealand, 41110  
**Telephone:** +6468432913  
**Email:** admin@parklink.co.nz  
**Emergency Telephone number:** 0800 POISON (0800 764 766)

### 2. HAZARDS IDENTIFICATION

This material is classified as hazardous according to criteria of Safe Work Australia GHS 7.

#### Signal Word

Danger



#### Hazard Classifications

Acute Oral Toxicity -  
Category 4  
Skin Irritation -  
Category 2  
Eye Damage - Category 1  
Specific target organ toxicity (single exposure) - Category 3

#### Hazard Statements

H272 May intensify fire; oxidiser.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

#### Prevention Precautionary Statements

P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking.  
P220 Keep and store away from clothing, incompatible materials, combustible materials.  
P221 Take any precaution to avoid mixing with combustibles & incompatible materials.  
P261 Avoid breathing dust.  
P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves, protective clothing and eye protection.

#### Response Precautionary Statements

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.  
P330 Rinse mouth.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P321 Specific treatment (see First Aid Measures on Safety Data Sheet).

---

**Product Name:** CYANO

P332+P313 If skin irritation occurs: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312 Call a POISON CENTER or doctor if you feel unwell.  
P370+P378 In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish.

### Storage Precautionary Statement

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

### Disposal Precautionary Statement

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

### DANGEROUS GOOD CLASSIFICATION

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".

**Dangerous Goods Class:** 5.1

## 3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
Sodium percarbonate	15630-89-4	90-100 % (w/w)

## 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation:** Remove person to fresh air. Avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical attention if symptoms persist.

**Skin Contact:** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Get medical attention if irritation develops and persists.

**Eye contact:** If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor; or for at least 15 minutes. Get medical attention if irritation develops and persists.

**Ingestion:** Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious person. If vomiting occurs give further water. Immediately get medical attention if symptoms occur.

**PPE for First Aiders:** Avoid contact with skin, eyes and clothing. Wear personal protective clothing (see section 8).

**Notes to physician:** Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**Hazchem Code:** 1Y

**Suitable extinguishing media:** Non-combustible, however if material is involved in a fire, use coarse water spray, fine water spray, normal foam or dry agent (carbon dioxide, dry chemical powder).

---

**Product Name:** CYANO

**Specific hazards:** Oxidising substance. Non-combustible, however will support combustion of other materials.

**Firefighting further advice:** Firefighters should wear self-contained breathing apparatus and full firefighting protective clothing. Keep containers cool with water spray. Heating can cause expansion or decomposition of the material, which can lead to the containers exploding. If safe to do so, remove containers from the path of fire.

## 6. ACCIDENTAL RELEASE MEASURES

**Emergency procedures:** Shut off all possible sources of ignition. Clear area of all unprotected personnel. Do not allow container or product to get into drains, sewers, streams or ponds. If contamination of sewers or waterways has occurred advise local emergency services.

**Methods and materials for containment and cleaning up:** Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. DO NOT return spilled material to original container for re-use. DO NOT use combustible material.

## 7. HANDLING AND STORAGE

**Handling:** Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust. Avoid handling which leads to dust formation. Keep out of reach of children. When using do not eat, drink or smoke. Wash hands thoroughly after handling.

**Conditions for safe storage:** Store in a cool, dry, well-ventilated place and out of direct sunlight. Keep at a temperature below 40°C. Protect from moisture. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright and closed when not in use - check regularly for spills.

**General hygiene:** Avoid contact with eyes. Do not eat, drink or smoke when using this product. Wash hands and face before breaks and immediately after handling the product.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### National occupational exposure limits:

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for particulate(s):

Particulates not otherwise classified: 8hr WES-TWA 10 mg/m<sup>3</sup> (inhalable dust) or 3 mg/m<sup>3</sup> (respirable dust).

As published by Safe Work Australia.

WES-TWA (Workplace Exposure Standard - Time-weighted average). The average airborne concentration of a substance calculated over an eight-hour working day.

WES-Ceiling (Workplace Exposure Standard - Ceiling). A concentration that should not be exceeded at any time during any part of the working day.

WES-STEL (Workplace Exposure Standard - Short-term exposure limit). The 15-minute time weighted average exposure standard. Applies to any 15-minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Exposures at concentrations between the WES-TWA and the WES-STEL should be less than 15 minutes, should occur no more than four times per day, and there should be at least 60 minutes between successive exposures in this range.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept too as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

**Biological Limit Values:** As per the Safe Work Australia the ingredients in this material do not have a Biological Limit Allocated.

**Engineering Measures:** If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. Ventilation must be adequate to maintain air concentrations below Exposure Standards. Use only in well-ventilated areas. Avoid generating and inhaling dusts. Use with local exhaust ventilation or while wearing dust mask.

**Personal Protection Equipment:** Rubber gloves, safety glasses or goggles, suitable protective clothing (i.e., overalls or full-length sleeves and trousers). Use a dust mask or respirator and enclosed goggles if generating dust.

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

Use with adequate ventilation. If inhalation risk exists, wear particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Hygiene measures:** Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Form:** Solid  
**Colour:** White  
**Odour:** Odourless

**Solubility:** Soluble in water  
**Specific Gravity:** 2.15 – 2.17  
**Density:** 10.5 (10.1 g/L)  
**Vapour Pressure (20 °C):** Negligible  
**Flash Point (°C):** Not applicable  
**Flammability Limits (%):** Not applicable  
**Melting Point/Range (°C):** Not available  
**pH:** 10 - 11 (3% solution)  
**Total VOC (g/Litre):** Not available  
**Decomposition Point (°C):** >55

## 10. STABILITY AND REACTIVITY

**Reactivity:** Reacts with acids. Hygroscopic: absorbs moisture or water from surrounding air.

**Chemical stability:** This material is stable when stored and used as directed.

**Conditions to avoid:** Avoid dust generation. Avoid exposure to heat, sources of ignition and open flame.

**Incompatible materials:** Acids, bases, combustible materials, organic materials, reducing agents, moisture, flammable materials, permanganates and powdered metals.

---

**Product Name:** CYANO

**Hazardous decomposition products:** Oxygen, which will support combustion, steam, oxides of carbon and hydrogen peroxide.

**Hazardous reactions:** Can react with acids or water releasing hydrogen peroxide. Self-heating at temperatures above 50°C.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

### Acute Effects

**Inhalation:** Material may cause irritation to mucous membranes and respiratory tract.

**Skin contact:** Contact with skin may result in redness and irritation.

**Ingestion:** Harmful if swallowed. Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

**Eye contact:** Causes serious eye irritation. Exposure to the dust may cause discomfort due to particulate nature.

### Acute Toxicity

Oral LD50 (rat) = 1,034mg/kg

**Inhalation:** No information available

**Skin contact:** Causes serious eye irritation. Classification is based on a mixture of calculation methods based on component data.

**Ingestion:**

**Corrosion/Irritancy:** Eye: this material has been classified as a 6.4A - Substances that are irritating to the eye. Skin: this material has been classified as not corrosive or irritating to skin.

**Sensitisation:** Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

**Aspiration hazard:** No information available

**Specific target organ toxicity (single exposure):** No information available

### Chronic Toxicity

**Mutagenicity:** No information available

**Carcinogenicity:** Not listed as carcinogenic according to the International Agency for Research on Cancer (IARC).

**Reproductive toxicity (including via lactation):** No information available

**Specific target organ toxicity (repeat exposure):** No information available

## 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways. Harmful to terrestrial vertebrates.

**Acute aquatic hazard:** No information available

**Long-term aquatic hazards:** No information available

---

**Product Name:** CYANO

**Ecotoxicity in the soil environment:** No information available

**Ecotoxicity to terrestrial vertebrates:** This material has been classified as - harmful to terrestrial vertebrates.

**Ecotoxicity to terrestrial invertebrates:** No information available

**Ecotoxicity:** No information available

**Persistence and degradability:** No information available

**Bioaccumulative potential:** No information available

**Mobility:** No information available

## 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste. If possible, material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international regulations.

## 14. TRANSPORT INFORMATION

### ROAD AND RAIL TRANSPORT

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".

**UN No:** 3378  
**Dangerous Goods Class:** 5.1 Oxidising Agent  
**Hazchem** 1Y  
**Packing Group:** III  
**Emergency Response Guide No:** 31  
**Proper Shipping Name:** SODIUM CARBONATE PEROXYHYDRATE



### MARINE TRANSPORT

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

**UN No:** 3378  
**Dangerous Goods Class:** 5.1 Oxidising Agent  
**Packing Group:** III  
**Proper Shipping Name:** SODIUM CARBONATE PEROXYHYDRATE

### AIR TRANSPORT

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**UN No:** 3378  
**Dangerous Goods Class:** 5.1 Oxidising Agent  
**Packing Group:** III  
**Proper Shipping Name:** SODIUM CARBONATE PEROXYHYDRATE

---

**Product Name:** CYANO

## 15. REGULATORY INFORMATION

AICIS Status: All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC).

Intended for industrial use only.

## 16. OTHER INFORMATION

Reason for issue: New product

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer, it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.